



## Article

# Analysis of Functional Disaster Preparedness at Community Health Centers in Mount Merapi Disaster Prone Areas, Sleman Yogyakarta

**<sup>1</sup>Tri Yunanto Arliono, <sup>2</sup>Fadly M. Bima P, <sup>3</sup>Oktomi Wijaya\*, <sup>4</sup>Nuni Ihsana, <sup>5</sup>Bayu Praditya Indarto, <sup>6</sup>Muhammad Agita Hutomo, <sup>7</sup>Rachma Greta Perdana Putri, <sup>8</sup>Mochammad Junaidy Heriyanto, <sup>9</sup>Adi Indra Wijaya, <sup>1,9</sup>Ahmad Muttaqin Alim**  
Email (Corresponding Author) : \*[oktomi.wijaya@ikm.uad.ac.id](mailto:oktomi.wijaya@ikm.uad.ac.id)

<sup>1</sup>Department of Emergency Medicine, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>2</sup>Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>3</sup>Faculty of Public Health, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>4</sup>Departement of Physiology, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>5</sup>Medical Education Unit, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>6</sup>Department of Disaster Management, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>7</sup>Department of Anatomical Pathology, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>8</sup>Department of Surgery, Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

<sup>9</sup>Anesthesiology and Intensive Therapy Faculty of Medicine, Universitas Ahmad Dahlan, Yogyakarta, Indonesia

## ARTICLE INFO

## ABSTRACT

### Article history

Received 25 Jun 24  
Revised 15 Jul 24  
Accepted 16 Jul 24

### Keywords

Disaster,  
Mount Merapi,  
Functional Preparedness,  
Health Centers

Mount Merapi is one of the most active volcanoes in the world. The major eruptions happened in 1768, 1822, 1849, 1872, and the most recent one in 2010. Health centers serve as primary healthcare facilities and are located in areas adjacent to Mount Merapi need to prepared to response volcanoes disaster. Based on their location, there are three health centers situated at the foot of Mount Merapi they are Puskesmas Pakem, Puskesmas Turi, and Puskesmas Cangkringan, are at high risk of potential disasters, ranging from eruptions, cold lava flows, to landslides. In light of these circumstances, to maintain service quality and effective disaster response, a study on functional preparedness was conducted to assess the readiness level of these health centers. This study aimed to provide evaluation material for optimizing service quality. The research used a quantitative analysis method, collecting numerical data to outline the preparedness level of the three health centers. The analysis results, achieved through manual calculations, indicated that Puskesmas Pakem exhibited the highest functional preparedness with a score of 0.45, categorized as "moderate." Puskesmas Turi scored 0.40, also categorized as "moderate." On the other hand, Puskesmas Cangkringan scored 0.24, falling into the "low" category. In conclusion, two health centers fell into the "moderate" category, means the risks of the safety of

staff and patients still persisted, necessitating future interventions. Meanwhile, one health center fell into the "low" category, signifying its inability to function optimally during disasters and therefore requiring immediate interventions.

This is an open access article under the [CC-BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.



---

## INTRODUCTION

Indonesia is an archipelagic country located between 3 colliding world plates, including the Eurasian plate in the north, the Australian plate in the south, and finally the Pacific plate in the east. Apart from that, Indonesia is also included in the Ring of Fire region, which means that the Indonesian territory is surrounded by active volcanoes all around it<sup>1</sup>. Based on this background, Indonesia is a country that is very vulnerable to potential disasters. One of the regions in Indonesia that is vulnerable to disasters in Indonesia is the Yogyakarta region<sup>2</sup>. This is because Yogyakarta has an open coast in the southern region which has the potential for tsunami incidents, while in the northern part of the region, there is an active volcano which is one of the most active volcanoes in the world, the mountain is Mount Merapi<sup>3</sup>. Based on historical data, Merapi has experienced major eruptions, namely in 1768, 1822, 1849, 1872, and most recently in 2010, this was an eruption event that had quite an impact on communities throughout Indonesia, especially in the Yogyakarta area and its surroundings<sup>4</sup>.

The impact of this eruption was damage to structures and infrastructure in the area around Mount Merapi and made a big impression on the residents' minds<sup>5</sup>. One aspect that is greatly affected is the community health center, this is because the community health center is a concrete agency that has an organizational structure, buildings and services that will be disrupted if a disaster is not handled properly. The community health center itself is the first level health facility that will handle casualties at the regional level affected by disasters, so that disruption of the function and services at the community health center will greatly affect the survival rate of victims when a disaster occurs. Therefore, it is important to measure the level of disaster preparedness in community health centers, especially in community health centers which have a high risk because they are close to areas prone to natural disasters<sup>6,7</sup>.

One instrument that can be used as a tool to measure preparedness in community health centers is the small medium hospital safety index checklist issued by WHO<sup>7</sup>. Small medium Hospital Safety Index (HSI) consists of three assessment aspects, namely structural aspects, non-functional aspects, and also functional aspects<sup>8</sup>. The functional aspect consists of elements of emergency response organizations, emergency plans, and also drug stocks and preparedness instruments<sup>9</sup>. The three elements contained consist of a checklist of questions which will be

calculated as a total score depending on each category found<sup>10</sup>. Next, the three elements will be added up and divided evenly to get concrete results related to functional disaster preparedness at the community health center that you want to research<sup>11</sup>. The categories obtained will determine the category of functional preparedness, this can be used as material for evaluating and optimizing services according to the categories obtained by the relevant health center<sup>12</sup>. Therefore, it is hoped that services and handlers when a disaster occurs can be more optimal and have a high safety rate for both victims, patients and the community health center staff themselves<sup>13</sup>.

## **METHODS**

This research will analyse the preparedness of community Health Center (Puskesmas) surrounding Merapi mountain, which are Puskesmas Turi, Puskesmas Pakem, and Puskesmas Cangkringan. The study was conducted in July 2023. The person who fills out a questionnaire is the person who is responsible for the decision related to preparedness in Puskesmas (Head of Occupational Safety and Health Division, Head of Disaster management, and pharmacist). In this research, numerical data was collected using the Small Medium Hospital Safety Index (HSI) checklist with the aim of assessing various aspects that reflect resilience and functional preparedness in first level health facilities such as community health centers or clinics. The research was also carried out deductively based on the measurement framework in the small medium HSI. Regarding analysis and data processing techniques, it will be carried out using a manual calculation method which will conclude the final score and determine the category of preparedness at the health centers studied. The interpretation of HSI scores were 0,00-0,35 is Low, 0,36-0,65 is Medium, 0,66-1 is High. Furthermore, this research is an objectivist ontology which assesses facts by evaluate the level of disaster preparedness in community health centers in a structured manner.

## **RESULTS**

The research was conducted at 3 community health centers that are in the Mount Merapi disaster-prone area in the Sleman district of Yogyakarta, these community health centers include Puskesmas Pakem, Puskesmas Turi, and Puskesmas Cangkringan. The checklist related to functional preparedness carried out in the research consists of 3 elements containing a total of 33 checklists. Table 1 presents data related to functional preparedness related to the organization of disaster committees in the three community health centers which consist of 5 checklists.

Table 1. Analysis of organizational aspects of community health center disaster committees

Organizational aspects of community health center disaster committees	Puskemas Pakem			Puskemas Turi			Puskemas Cangkringan		
	High	Medium	Low	High	Medium	Low	High	Medium	Low
	Score.								
1 Community Health Center Emergency/Disaster Committee		Yellow			Yellow				Red
2 Committee member responsibilities and training		Yellow			Yellow				Red
3 Emergency Operational Center (EOC)		Yellow				Red			
4 Directory of external stakeholders and other contacts		Yellow			Yellow				Red
5 Job cards are available to all personnel			Red			Red			Red


Based on the table above, the resulting data is presented in the form of a description of the preparedness of the three health centers to find out the most points with low scores from the three related health centers. The data is presented in a colored table to categorize aspects of functional disaster preparedness. There are 3 colors which are divided into GREEN which is in the "high" category, YELLOW which is in the "medium" category, and RED which is in the "low" category.

Based on the data presented in table 1, it showed an overview of Organizational aspects of community health center disaster committees. The Puskesmas Pakem shows a score of 0.40 in the (B) "MEDIUM" category, and the Puskesmas Turi shows a of 0.30 which is in the (B) "LOW" category, and the Puskesmas Cangkringan shows a score of 0.10 which is making it into category (B) "LOW".

In table 2, data will be presented in the form of the results of functional preparedness analysis on aspects of emergency response plans in the three health centers consisting of 21 checklists.

Table 2. Analysis of the Community Health Center's Emergency Response or Disaster Response Plan

Community health center emergency response or disaster response plan Aspect	Puskemas Pakem			Puskemas Turi			Puskemas Cangkringan		
	High	Medium	Low	High	Medium	Low	High	Medium	Low
	1 Emergency or disaster	Green				Yellow			





In the data presentation, table 2 shows information data in the form of a description of functional preparedness in the emergency response plan aspect of Puskesmas Pakem, Puskesmas Turi and Puskesmas Cangkringan, which shows that in this aspect various scores were obtained from each health center. The Puskesmas Pakem showed a score of 0.47 in the (B) "MEDIUM" category, and the Puskesmas Turi showed a score of 0.40 which was in the (B) "MEDIUM" category, then the Puskesmas Cangkringan showed a score of 0.14 which was in the category (C)"LOW".

Table 3. Analyze the availability of medicines, supplies, and disaster instruments

Availability of medicines, supplies, instruments, and equipment for disaster situations		Puskesmas Pakem			Puskesmas Turi			Puskesmas Cangkringan		
		High	Medium	Low	High	Medium	Low	High	Medium	Low
1	Medicines and supplies for emergency response	High			High			High		
2	Sterilized instruments and equipment for emergency response		Medium			Medium			Medium	
3	Life support equipment for emergencies							High		
4	Personal protective equipment and isolation for infectious and epidemic diseases								Medium	
5	Surveillance procedures, infection prevention and control									Low
6	Food and drinking water during emergencies			Low			Low			
7	Duties assigned to personnel for emergency or disaster response and recovery		Medium			Medium				Low

Table 3 will provide data information related to functional preparedness analysis on the aspect of availability of medicines, supplies and disaster instruments, which in total consists of 7 checklists.

Based on the data presented in table 3, it showed an overview of aspects of the availability of medicines and disaster instruments at the three health centers. It is known that in the aspect of availability of medicines, supplies, instruments and equipment for disaster situations, the same score was obtained from each community health center (Puskesmas). The Puskesmas Pakem shows a score of 0.50 in the (B) "MEDIUM" category, and the Puskesmas Turi shows a similar score of 0.50 which is in the (B) "MEDIUM" category, and the Puskesmas Cangkringan also shows a score of 0.50 which is making it into category (B) "MEDIUM".

Table 4. Comparison & Index of total research scores

No	Aspect	Puskesmas Pakem		Puskesmas Turi		Puskesmas Cangkringan	
		Indeks	Category	Indeks	Category	Indeks	Category
1.	Organizational aspects of disaster committees at Puskesmas	0,40	Medium	0,30	Low	0,10	Low
2.	Emergency response or disaster response plan at Puskesmas	0,47	Medium	0,40	Medium	0,14	Low
3.	Availability of medicines, supplies, instruments, and equipment for disaster situations	0,50	Medium	0,50	Medium	0,50	Medium
<b>Rata-rata</b>		<b>0,45</b>	<b>MEDIUM</b>	<b>0,40</b>	<b>MEDIUM</b>	<b>0,24</b>	<b>LOW</b>
		<b>(B)</b>		<b>(B)</b>		<b>(C)</b>	

Table 4 is a table that presents the total score results related to the analysis of functional preparedness in the three community health centers as an illustration of the comparison of the preparedness category results obtained by each community health center.

In Table 4, score data is presented that compares the results of the three community health centers. This aims to determine the readiness of each community health center and also determine the average score obtained from the three community health centers as a conclusion regarding the preparedness category of community health centers in the disaster-prone area of Sleman, Yogyakarta. From the table above it is known that of the three community health centers studied, Pakem community health center has the highest score with a value of 0.45 which is included in category (B) "MEDIUM", while Turi community health center is in second place in disaster preparedness functional aspects of community health centers with a score of 0.40 and is also in category (B) "MEDIUM", and in third place, the Cangkringan health center is the health center with the lowest score with a number of 0.24 and is in category (C) "LOW". This shows that the Pakem community health center and the Turi community health center already have better functional preparedness with category (B) "MEDIUM" when compared to the functional preparedness of the Cangkringan community health center which is in category (C) "LOW". However, from each community health center there were still points with low scores which indicated that it was necessary to evaluate and optimize disaster preparedness in certain aspects.



## DISCUSSION

Based on the data presented in table 1. Data is presented in the form of a description of functional preparedness in the organizational aspect of the disaster committee at the three community health centers. Two puskesmas of 3 of total has LOW score. It stated in Putra's (2018) research that the disaster committee team has a very important role for the community and a health facility, so that all aspects of it are very important and influence each other<sup>12</sup>. Based on research data, it is also known that there are points with low results from the three health centers, these points are "action cards for all personnel". Action cards are cards used by community health center officers when a disaster occurs. These cards contain tasks, responsibilities and positions from the organizational structure that has been created<sup>14</sup>. If the action card is not available, it is feared that there will be confusion regarding duties and responsibilities which will lead to vacancies in certain posts, which of course can reduce the quality of service and security flow for victims and patients at community health centers<sup>14</sup>.

In line with research conducted by Amaliah (2021), it is known that a committee team is a team that coordinates with each other to monitor performance, provide feedback and provide solutions to each other<sup>15</sup>. This is an aspect that requires overall coordination so that, without team coordination, there will be failures in the knowledge, communication and support systems for less experienced team members<sup>16</sup>. Therefore, urgent intervention is needed for health agencies that still have low scores on organizational aspects and disaster committee assessments in certain areas<sup>7</sup>.

In the data presentation, table 2 shows information data in the form of a description of functional preparedness in the emergency response plan aspect of Puskesmas Pakem, Puskesmas Turi and Puskesmas Cangkringan, which showed that 1 puskesmas has low category. Some aspect that has low score in 3 puskesmas are in points; a) Financial resources for emergencies and disasters, b) Referral system, and c) Alarm system determined and tested. Financial resources themselves are a very important aspect when a disaster occurs. This is because when there is a surge in patients, it is very possible that there will be a shortage of medicine supplies and also food supplies that must be met immediately, without a budget reserve this cannot be resolved properly, and will have an impact on the operational side<sup>17</sup>. Furthermore, regarding the referral system, we will discuss the flow and steps that will be implemented when there are patients who require treatment at a higher level<sup>15</sup>. This is an emergency and can cause an increase in fatalities if not handled

quickly, so the referral system itself is an important aspect which is the main factor in minimizing fatalities. Regarding the alarm system being tested, it is a signaling system when a disaster occurs which will sound and provide information regarding the presence of danger indications and has been tested within a predetermined time period. This is important regarding evacuation efforts for victims and patients inside the health center building, so that if the system is not available then there is a large potential for patients to be trapped in a building that is being hit by a disaster.

Based on Choirrini's (2018) research, it was found that community health centers and hospitals in facing disasters require planning and action to improve safety, management and hospital disaster preparedness<sup>18</sup>. Implementation of emergency response plans requires regular optimization of the use of available health infrastructure and health supplies, as well as utilizing human resources from central and regional governments, business entities, non-governmental organizations and the community<sup>19</sup>. This is in line with research conducted by Hashim which states that the impact that may occur if the emergency response planning at the health center is less than optimal, there is the potential for major dangers to arise, such as work accidents, damage to facilities and infrastructure, environmental damage as well as material and non-material losses<sup>20</sup>.

## CONCLUSION

In this research, it was discovered that of the three health centers, only two were in the category of being in functional preparedness, these health centers were the Pakem and Turi health centers. Meanwhile, the third community health center, namely the Cangkringan community health center, is still in the low category in terms of functional disaster preparedness. The improvement of preparedness is crucial for public health facility especially in vulnerable disaster region.

## REFERENCES

1. Sheena N, Harith H, Adnan A. Seismic Hazard Map of ASEAN Countries towards Risk Assessment and Sustainability of Structures and Infrastructures. *Technology, Engineering & Mathematics (EPSTEM)*. 2023;26. [www.isres.org](http://www.isres.org)
2. Faridl MS. Analisis Potensi Bahaya Dengan Metode Hazard Identification And Risk Assessment (Hira) Dan Job Safety Analysis (JSA) (Studi Kasus: UMKM Logam Di Yogyakarta).
3. Hardiyanto S PD. Komunikasi Efektif Sebagai Upaya Penanggulangan Bencana Alam di Kota Padangsidempuan. *J Interak J Ilmu Komun.* 2019;3:30-39.
4. Hanafiah A. Manajemen Evakuasi Difabel Untuk Bencana Erupsi Merapi (Studi Pada Desa Tangguh Bencana Kepuh Harjo Cangkringan Sleman). *J Dialog Penanggulangan Bencana.* 2017;8:132-141.
5. Kolaboratif Sains J, Fazilah Z, Lestari A, et al. Manajemen Penanggulangan Gizi Kurang Pasca Bencana di Puskesmas Talise Kota Palu Malnutrition Management Post Disaster at Public Health Center of Talise Palu. *Jurnal Kolaboratif Sains.* 2022;5(6).
6. Istiqomah Z, Wahjudi P, Prasetyowati I. Kesiapsiagaan Bencana di Puskesmas Suboh Kabupaten Situbondo. *Artikel Ilmiah Hasil Penelitian Mahasiswa.* Published online 2015.

7. Riza Yosia Sunindijo, Fatma Lestari, Oktomi Wijaya. Hospital safety index: assessing the readiness and resiliency of hospitals in Indonesia. *Emerald Insight*. 2019;38(1):39-51.
8. Fallah-Aliabadi S, Ostadtaghizadeh A, Ardalan A, Fatemi F, Khazai B, Mirjalili MR. Towards developing a model for the evaluation of hospital disaster resilience: A systematic review. *BMC Health Serv Res*. 2020;20(1). doi:10.1186/s12913-020-4915-2
9. Sarwadhamana J, Ulhaq MZ, Makkulau AFZ, et al. Functional Aspects Of Disaster Preparedness In Hospital of PKU Muhammadiyah Gamping. *JURNAL KESEHATAN MASYARAKAT MULAWARMAN*. 2022;4(2):67-74.
10. Yenni RA, Novrikasari N, Windusari Y. Non-structural Preparedness Analysis At RSUP Dr. Mohammad Hoesin In Disaster Based On The Hospital Safety Index. *Jurnal Aisyah : Jurnal Ilmu Kesehatan*. 2020;5(2):123-128. doi:10.30604/jika.v5i2.297
11. Lestari F, Paramitasari D, Fatmah, et al. Analysis of Hospital's Emergency and Disaster Preparedness Using Hospital Safety Index in Indonesia. *Sustainability (Switzerland)*. 2022;14(10). doi:10.3390/su14105879
12. Putra HA. *Studi Kualitatif Kesiapsiagaan Tim Komite Bencana Rumah Sakit PKU Muhammadiyah Bantul Dalam Menghadapi Bencana*. Vol 2. Online; 2018. <http://journal.stikessuryaglobal.ac.id>
13. D-III Kebidanan Meulaboh Politeknik Kesehatan Kementerian Kesehatan Aceh P. GAMBARAN KESIAPSIAGAAN TENAGA KESEHATAN DALAM MENGHADAPI BENCANA DI PUSKESMAS MEUREUBO KECAMATAN MEUREUBO KABUPATEN ACEH BARAT TAHUN 2020 Desi Nurjanah, Reka Darmayanti dan Ayu Sahara. *Jurnal Ilmiah Sains, Teknologi, Ekonomi, Sosial dan Budaya*. 2021;5(3).
14. Putra HA. Analisis Aspek Fungsional Kesiapsiagaan Bencana di Rumah Sakit Umum Rajawali Citra 2021 Program Studi Kesehatan Masyarakat Stikes Surya Global Yogyakarta. *Surya Medika*. 2021;16:88-96.
15. Ulla Amaliah R, Dari Dewi F, Rizal C, Indra Setyawan Y, Ibnu Sina U, Studi Kesehatan dan Keselamatan Kerja FIKes Ibnu Sina P. Kesehatan Ibnu Sina KESIAPSIAGAAN RUMAH SAKIT X DALAM MENGHADAPI BENCANA COVID-19 BERDASARKAN HOSPITAL SAFETY INDEX. *Jurnal KEsehatan Ibnu Sina*. 2021;2(2):2722-8102. doi:10.3652/J-KIS
16. Gabelica C, Van den Bossche P, Fiore SM, Segers M, Gijsselaers WH. Establishing team knowledge coordination from a learning perspective. *Hum Perform*. 2016;29(1):33-53. doi:10.1080/08959285.2015.1120304
17. Pratomo RA, Rudiarto I. Permodelan Tsunami dan Implikasinya Terhadap Mitigasi Bencana di Kota Palu. *Jurnal Pembangunan Wilayah dan Kota*. 2013;9(2):174-182.
18. Choirrini S, Lestari F, Kesehatan D, Kerja K, Masyarakat K. *ANALISIS KESIAPSIAGAAN MANAJEMEN BENCANA RUMAH SAKIT DI KOTA CILEGON TAHUN 2018*. Vol 10.; 2019.
19. WHO. *Strengthening Health Emergency Prevention, Preparedness, Response and Resilience.*; 2023.
20. Khatri RB, Endalamaw A, Erku D, et al. Preparedness, impacts, and responses of public health emergencies towards health security: qualitative synthesis of evidence. *Archives of Public Health*. 2023;81(1). doi:10.1186/s13690-023-01223-y