

Investigation on Multi-Criteria Decision Making Methods Application in Sustainable Product Design

Wafa Guebsi, Alaeddine Zouari *

Higher Institute of Industrial Management, University of Sfax, Sfax, Tunisia

*Corresponding Author: ala.zouari@isgis.usf.tn

ARTICLE INFO

Article history

Received : April, 2022

Revised : April, 2022

Accepted : April, 2022

Keywords

Sustainability

Sustainable Product design

Multi Criteria Decision

Making

product life cycle

Literature review

ABSTRACT

Background: Integrating sustainability development' aspects in the design process is becoming, a growth area in companies. Consequently, sustainable product design has to consider the different aspects of sustainability throughout its life cycle phases in addition of other requirements. This integration is becoming more complicated due the difficulty of managing the constraints and alternatives related to the product and stakeholders needs. This study aims to highlights the most used Multi-Criteria Decision Making (MCDM) tools and methods used in sustainable product design process.

Contribution: Product design process involves interesting decisional tasks such as the choice of materials, standard parts, technical solutions. Hence, the contribution of this work is to help designer to adopt relevant MCDM tools and methods that can be integrated to other tools to facilitate and to justify their decisional tasks.

Method: Several methods have been affected to solve the problems related to this complexity such as MCDM. A literature review was conducted based on Siencedirect and GoogleScholar articles databases. After filtering more than 200 articles only 62 articles were considered to analyze the correlation between sustainable product design and MCDM.

Results: Classified MCDM use according to the type of choices to achieve SPD goals. This paper allowed us to find matches between MCDM methods and SPD problem. The majority of case studies result show that a large portion of sustainable design methods, techniques, and tools are applied to the sustainable product' along its different life cycle phases

Conclusion: It is noticed that the use of MCDM methods are an important outcome in the sustainable product design process and deeply helps designers to make suitable choices. Also, several matches relating MCDM, other methods and sustainable product design sphere are discussed.

This is an open access article under the [CC-BY-SA](https://creativecommons.org/licenses/by-sa/4.0/) license.

Copyright © 2022 Wafa Guebsi, Alaeddine Zouari



INTRODUCTION

Newsday, the intensity of sustainability or sustainable development is covering the industrial and academic fields. In engineering design, the coupling of sustainability aspects and design requirements throughout the product life cycle phases leads to Sustainable Product Design Process (SPDP) context. Sustainable Product Design (SPD) is getting more attention in the recent research. However, this integration shows an inherent both complexity in the evaluation and the integration of sustainability aspects in the design product process.

Therefore, some studies have proposed and developed some methodologies to help designers to make decision in their choice process. Hence, to solve this complexity a number of methods, tools and techniques are implemented in the SPDP framework. Thus, [1] discussed important technological requirements in product architecture and integrated optimization to realize integrated sustainable design and manufacturing. They introduce a scalable design environment which can convey sustainability principles in the context of product architectural design, manufacturing, assembly, and supply chain decisions to designers. However, [2] proposed a sustainable product design framework incorporating rule-based and model-based methods. Where, Life cycle sustainability assessment (LCSA) method is incorporated into optimization to offer a comprehensive view of sustainability. Afterwards, product design targets and design alternatives are generated using knowledge-base and heuristics to reduce the impacts on hotspots. Then, LCSA or rule-based methods is applied to decide the most sustainable product from the generated product design alternatives. Besides, [3] combined the Pythagorean Fuzzy Set with Analytical Network Process (ANP), Quality Function Deployment (QFD), and Grey Relational Analysis (GRA) approaches to prioritize design requirements of sustainable supply chain (SSC) and to better handle uncertainty in the SSC. Based on the proposed method, the decision-maker can conduct comprehensive analysis to prioritize design requirements (DRs) and design appropriate SSC to fulfill customer requirements (CRs) under uncertain environment. Moreover, [4] analyzed the key factors for achieving sustainable product design in fashion based on the triple bottom line (TBL) framework. They establish a sustainable product development process (SPDP) matrix, which can guide the fashion supply chain members to operate in a sustainable manner during the SPDP. In addition, [5] conducted a literature review to identify various used sustainable product design tools. Further, they ranked the tools using an analytical hierarchy process. The results show that design of sustainability, modular design, and life cycle assessment are the tools that have a significant impact on the improvement of product design sustainability.

In short, this article presents a literature review that can improve the understanding and the usefulness of multi-criteria decision making (MCDM) (tools, methods and techniques) in SPDP. Thus this work is based on a literature review to highlights most used MCDM tools, methods and techniques which will be later discussed and classified as a part of SPDP.

This article is organized as follow: Section 2 presented a definition of general concepts related to SPD as background. In section 3, the literature review methodology is presented and discussed. Then, a state of art of MCDM methods, tools and techniques applied in the SPD is presented and classified in the section 4. In the section 5, obtained results are discussion and reported. Finally a conclusion and future research are presented in the end.

Sustainability and Sustainable Products

The most cited definition of sustainability is presented by Brundtland Report where sustainable development is defined as “the development that meets the needs of the present without compromising the ability of future generations to meet their own needs” [6]. This

concept is commonly based on three pillars which are environmental, economic and social aspects [7]. Figure 1 presents the different pillars of sustainability.




Figure 1. Sustainable Development's Pillars

However, [8] have defined the sustainable Product as a 'product that has little impact on the environment, and at the same time, has been designed with consideration of the economic and societal aspects to ensure future benefits'. Moreover, [9] [10] studied sustainable product and identified its factors which are presented in figure 2.



Figure 2. Factors of Sustainable Product

Sustainable Product Design

According to [11], 'Product design is one of the most important stages in sustainable product development. Consequently, Design affects all stages of product life cycles from extracting raw materials to the end of product life'. Besides, the sustainable design is an extraction and evolution of traditional design approach which involve the concepts of human filed, production, energy, transportation, communication and economy [9]. Furthermore, [12] have described the sustainable design as a design process for a product with considering the environment impact during its entire life cycle. Also, [13] developed a methodology incorporated the sustainability concept into design process.

For SPD techniques, [14] suggested the idea of integrating the pillars of sustainability and the design concepts. On the other hand, [9] have stated that the implementing of sustainability

aspects into the life cycle product design provide an opportunity to reduce a product's negatives impacts on society, environment and economy. In their work, [15] have considered the sustainability in the product design as a part of the wider research and practice of sustainability development. They claimed that the environmentally Sustainable Design (also referred to as: Green Design or Eco-Design) helps products, services and systems to be produced in a more efficient way. It reduces the use of non-renewable resources and minimizes the environmental impact. However, the economic sustainable design "can be achieved by creating products and services that are more economic to produce, transport and use, and better adapted to their needs, i.e. developing countries". Nevertheless, the Social sustainability "is the design for all philosophies, targeting to the minority users, such as disabled and elderly individuals, children and individuals from cultural or linguistic minorities".

METHOD

A comprehensive literature research was performed to collect the relevant published articles about the sustainable product design in which articles published between 2010 and 2020 are selected. In this framework, we used the following keywords: "sustainable development", "sustainable design", "design for sustainability", "sustainable product design". Also, the journal data base "ScienceDirect", and "Google Scholar" were used for our literature review. Figure 3 presents selection steps and exclusion conditions of articles relevant to our topic.




Figure 3. Articles Selection Methodology

260 potential papers were initially identified which 198 publication were rejected, because they did not meet our research criteria and 62 papers were included in the present systematic review. Eventually, this 62 contained 13 descriptive papers, 12 reviews and 37 case studies which belong to different sectors. Though, the 37 cases study are grouped according to (type of dimension, the method used and type of methods) which are presented in table 1.

RESULTS AND DISCUSSION

Review Data

Table 1 summarizes the studies that take in consideration the different aspects of sustainability and the MCDM methods, techniques and tools and they integration with other tools and methods which are grouped into quantitative one and qualitative one.

Table 1. Literature Review Articles Data

Authors	MCDM	Other Tools or methods	Objectives	Method type	
				Quantitative	Qualitative
Vinodh and Rathod, 2010	-	ECQFD- LCA	Ensuring a SPD		X
Kyratsis <i>et al.</i> , 2012	-	CAD - SOLDWORKS	Selection of sustainable material		X
Hashim and Dawal, 2012	-	Kano Model - QFD	Improve the school workshops design (ergonomic)		X
Mosavi, 2013	MOO	RSO	Selection of sustainable material		X
Bereketli <i>et al.</i> , 2013	FAHP	QFDE	Identify the improvement strategy for SPD	X	X
Buchert <i>et al.</i> , 2015	Decision Tree	LCA	Selection the sustainable material		X
Hosseinpour <i>et al.</i> , 2015	-	QFD – LCA	Selection of the best preferment components	X	
Younesi and Roghanian, 2015	FANP - F-DEMATEL	QFDE	Identify the best design criteria	X	X
Kulatunga <i>et al.</i> , 2015	AHP - GRA	LCA	Id. the sustainable platform for a product family	X	
Anojkumar <i>et al.</i> , 2016	AHP - FAHP PROMETHE	-	Solving material selection problem	X	
Huang <i>et al.</i> , 2016	-	Checklist	Construction of a decision model for sustainable servicing design		X
Jahan <i>et al.</i> , 2016	MODM - MADM	-	Selection of sustainable materials	X	
Chowdhury <i>et al.</i> , 2016	FAHP	Optimization model – FQFD	Sustainable m-health services design	X	
He <i>et al.</i> , 2016	-	LCA	Evaluate the product environmental footprint	X	
Polat <i>et al.</i> , 2017	AHP - COPAR	-	Selection of appropriated mechanical design team	X	
Karatas, 2017	-	MPP-WFAD	Selection of company or industry	X	
Chandrakumar <i>et al.</i> , 2017	FAHP	-	Selection of sustainable sanitation system design	X	

Vicente <i>et al.</i> , 2017	-	Questionnaire	Selection of sustainable wood furniture products		X
Sousa-Zomer and Miguel, 2017	FAHP	Fuzzy QFD	Ranking stakeholder's requirement on PSS Design	X	X
Schöggel <i>et al.</i> , 2017		Checklist	Id. and define the key sustainability performance		X
Badurdeen <i>et al.</i> , 2018	MOO - NSGA-II		Id of optimal product configuration design	X	
Loganathan and Mani, 2018	VIKOR – PROMETHEE – FAHP– TOPSIS	-	Selection of the sustainable electronic cooling material	X	
Babbar and Amin, 2018	MOP	QFD	Selection of the best suppliers and order allocation	X	X
Guini <i>et al.</i> , 2018	ROC - PROMETHEE	-	Choose the best concept of single brake disc	X	
Mohebbi <i>et al.</i> , 2018	MMP – Fuzzy Choquet & Sugeno integrals	-	Assessing requirements' abstraction degree in mechatronic systems design	X	
Woodhouse <i>et al.</i> , 2018	–	Checklist	Assessing in food processing design sustainability		X
Allaoui <i>et al.</i> , 2018	AHP – OWA – MOO	-	Optimizing agro-food supply chain design	X	X
He <i>et al.</i> , 2018	-	Checklist	Mapping from sustainable functional requirements to the design parameters		X
Steenis <i>et al.</i> , 2018		ANOVA - SPSS	Selection of sustainable packaging design strategy	X	
Tao and Yu, 2018	–	QFD – sustainable value	Selection of sustainable product	X	X
Rezaei <i>et al.</i> , 2019	BWM	–	Sustainable product package design	X	
Azmi and Kandra, 2019	–	–	Designing environmentally sustainable mosques		
Sansa <i>et al.</i> , 2019	FANP	SWOT - PESTEL -7 S	Choice of optimal sustainable design scenario		X
Rivera <i>et al.</i> , 2019	–	LCA	Selection innovative solution for food packaging	X	
Singh and Sarkar, 2019	Fuzzy Delphi - DEMATEL	–	Selection of the most significant practices for SPD	X	
Mohammed <i>et al.</i>	FAHP – FMOP -	–	Solving the allocation	X	

al., 2019	TOPSIS		problem	
Bouyarmane and Sallaou, 2019	–	LCA	Evaluate the environmental impact during the design phase	X
Chunhua <i>et al.</i> , 2020	AHP - Intuitionistic judgment matrix – Morphological matrix	Weighted averaging	Selection the optimal solution principles	X

Abbreviation List:

- | | |
|--|---|
| BWM: Best Worst Method | NSGA-II: Non-dominated sorting genetic algorithm II |
| CAD: Computer Assisted Design | OWA: Order Weighing Averaging |
| COPAR: Complex Proportional Assessment | PESTEL: Political, Economic, Sociological, Technological, Legal and Environmental |
| DEMATEL: Decision-Making Trial and Evaluation Laboratory | PROMETHEE: Preference Ranking Organization Method for Enrichment Evaluation |
| ECQFD: Environmentally Conscious QFD | PSS: Product Service System (PSS) |
| FAHP: Fuzzy Analytic Hierarchy Process | QFDE: Quality function deployment for environment |
| FANP: Fuzzy Analytic Process | ROC: Rank Order Centroid |
| FMOP: Fuzzy Multi-Objectives Programming | RSO: Reactive Search Optimization |
| GRA: Grey Relational Analysis | SPD: Sustainable Product Design |
| LCA: Life Cycle Assessment | SWAT: Strengths, Weaknesses, Opportunities, and Threats |
| MADM: Multi-Attribute Decision-Making | TOPSIS: Technique for Order Preference by Similarity to Ideal Solution |
| MMP: Multi-Criteria Profile | VIKOR: VlseKriterijumska Optimizacija I Kompromisno Resenje (in Serbian) |
| MODM: Multi-Objective Decision-Making | |
| MOO: Multi-Objective Optimization | |
| MOP: Multi-Objective Programming | |
| MPP-WFAD: Multi-Period Probabilistic Weighted Fuzzy Axiomatic Design | |

Data collected from the table 1 are uploaded in a MS Excel® sheet to perform statistical descriptive analysis. The figure 4 present the distribution of articles per industry sector, we notice that the most important industry sectors are respectively the automotive and furniture with 20% of all study to each sector, the building sector with 18%, the packaging sector with 11% and the food sector with 7%.




Figure 4. Articles Distribution According Industrial Sectors

The figure 5 presents a classification of these studies into three categories are; one-dimensional focus; bi-dimensional focus and the holistic sustainability. We notice that the majority of study the majority of this study focus on one-dimensional (social aspect (one article), economic aspect (4 articles) and environment aspect (9 articles)).




Figure 5. Articles Classification According To Sustainability Dimensions

Design Domain

The use of MCDM methods in SPDP is receiving increasing attention for solving design problems. In this vein, [16] approved that the decision-making methods are an effective support to engineering design. There are few research papers that propose a classification and discussion of MCDM methods in SPD. Hence, [17] classified the MCDM in Multi-Object Decision Making methods (MODM) and Multi-Attribute Decision Making methods (MADM) as mentioned in figure 6. On the other hand, [16] proposed a classification of methods used for solving engineering design problem in automotive sector such as: MCDM; Problem Structuring Method; Decision Making Problem Solving, etc. In this field, authors have approved that the decision-making methods are an effective support to engineering design. Furthermore, [18] presented in their review a categorization of MCDM methods according their problem-solving technique or their mathematical nature.

- MCDM according to their problem-solving technique: value-based method; outranking method; CBA method
- MCDM according to their mathematical nature: MODM, MADM and a combination of MADM & MODM.

In this literature review, we have grouped the studied articles according the type of choices in SPD (material selection, components selection, technological solution selection and others uses).

MCDM in Selection Sustainable Components

In this framework, [24] has implemented RSO multi-objective optimization software for selecting the sustainable textiles composites materials. Yet, [25] proposed a hybrid Group Multi-criteria Decision Making (GMCDM) model integrating the Rank Order Centroid (ROC) and the PROMETHEE methods to choose the best industrial performance indicators of single braking disc. However, [26] have used the integration of Environmental Quality Function Deployment (EQFD) and Life Cycle Assessment (LCA) to select sustainable component in product end of life phases. Likewise, [11] have proposed a framework integrating QFD, benchmarking and LCA tools to select the sustainable wheelchair components. Besides, [27] have used BMW method to evaluate the sustainability of packaging design alternatives in food

industry. Conversely, [28] have combined SWOT, 7S and PESTEL methods, to initially identify criteria. Then, they implemented Fuzzy ANP to choose the best optimal among the variety of batteries technologies. But, [29] have proposed a LCA approach to choice the sustainable component of welded sheet during lifecycle phases, such as raw material transformation and manufacturing processes.




Figure 6. Classification of MCDM Methods

MCDM in Selecting The Sustainable Technological Solution

In this field, [30] have implemented the Multiperiod Probabilistic Weighed Fuzzy Axiomatic Design (MPP-WFAD) method to help the designer to select the best stream of income for a long period of times. However, [31] have proposed a hybrid method using Fuzzy DELPHY and DEMATEL for selecting the sustainable eco-design practice in automotive sector. The Fuzzy DELPHY is a qualitative technique implemented for collecting opinions and the DEMATEL is used to obtain the causal relationships between the eco-design practices. Although, [32] have used AHP method for selection the best sustainable system design. On the other hand, [33] have proposed a multi-criteria, multi-objectives optimization problem and the Non-Dominated Sorting Genetic Algorithm II (NSGA-II) to identify the most suited configuration for the toner cartridges. Yet, [34] have presented a new approach based on Multi-Criteria Profile (MCP) and three aggregation techniques, which are Fuzzy logic, Choquet integral and Sugeno integral, for assessing and selecting the best solution of concepts for mechatronic system. Even so, [35] have developed a decision framework integrating techno-environment and circular economy by using the LCA approach to help designer in selecting the suitable innovative solutions of food packaging. Nevertheless, [36] have proposed an integrating multi-criteria decision making model by using AHP, weighting averaging, intuitionistic fuzzy judgment matrix and morphological matrix methods to affect the best choice of spindle system CNC.

Other Uses

Besides above presented uses of MCDM in SPD, we find many other uses of these methods. In this perspective, [37] have applied the integration of two multi-criteria decision making methods which are AHP and COPRAS to select the most appropriate mechanical designer company. In addition, [38] have presented the development of a multi-objectives programming model to design a G-resilient supply chain network in solving the allocation

problem of related facilities. Furthermore, [39] have applied the QFDE technique to identify the improvement strategies then they use FAHP to determinate the stakeholder's requirements alternatives to select the most relevant improvements strategies for the hand blander product. Moreover, [40] have integrated the Kano's questionnaire and QFD to improve the design school workshops. Likewise, [41] have proposed an integration of QFDE; DEMATEL and FAHP methods to helps companies to identify the best design criteria. The use of QFDE is to assume the interdependence of costumer attributes, DEMATEL and FAHP are used to find the possible design options. Similarly, [42] have proposed a decision model for sustainable product servicizing by applying the checklist tools. Besides, [43] have proposed a multi-phased QFD based optimization approach in health service design. Also, [44] have integrated the LCA approach in sustainable design process to affect the optimal combinatorial solution in design syntheses approach.

On the other hand, [45] have integrated Fuzzy AHP decision making in the Fuzzy QFD to ranking the influence of stakeholder's requirements on the product services design. Yet, [46] have used a multi-objective model and QFD model for selecting the best supplier and order allocation. However, a checklist tools have been developed by [47] to support the qualitative sustainability in design process in food industry. Additionally, a hybrid methodology using AHP, OWA and MOOM is proposed by [48] to select the sustainable suppliers in agro-food supply chain design. Nevertheless, [49] have implemented the checklist tool to introduces and transform the sustainable functional requirements into design parameters in cleaner production. Although, [50] have applied QFD method for mapping the sustainable value requirements into product engineering characteristics along the whole life cycle of milk maker process.

CONCLUSION

This paper presents a literature review of articles published along the period 2010-2020 which have treated the SPD concept. It summarizes most used and suited multi-criteria decision-making methods, tools and techniques for solving the SPD problems. Firstly, we have presented the background relate to SPDP supported by the decision-making methods, tools and techniques. Thereafter, we have classified MCDM use according to the type of choices to achieve SPD goals. This literature review allowed us to find matches between MCDM methods and SPD problem. The majority of case studies result show that a large portion of sustainable design methods, techniques, and tools are applied to the sustainable product' along its different life cycle phases. Driving useful metrics form product life cycle, stakeholders' requirements and the sustainability impacts that fits SPDP are challenging tasks. The majority difficulties lie in data collection related to SPDP. The interaction of data affects the implementation of SPD approach. QFD tool play significant role in SPD context. It has the ability to combine product design requirements, and environment, economic and social aspects. Furthermore, it is easily and commonly combined with the multi-criteria decision-making methods. The most past studies focused on the use of AHP and FAHP method to select main SPD parameters. The handle of uncertain data that affect the implementation of SPD is still unsolved. To date, most studies of SPD are focused on environmental aspects assessment while the social aspects are rarely treated as study factors. We notice that the use of MCDM methods presents an important effect in the SPDP and helps designers to make a sustainable choices. Stakeholders' opinion incorporation and conflicting goals are not considered in the majority of studies

REFERENCES

- [1] Kim, K. Y., Haapala, K. R., Okudan Kremer, G. L. E., Murat, E. A., Chinnam, R. B., Monplaisir, L. F. (2011). A conceptual framework for a sustainable product development collaboratory to support integrated sustainable design and manufacturing. In International Design Engineering Technical Conferences and Computers and Information in Engineering Conference (ASME'11), Washington, DC, USA, August, 28-31, 54860, 1097-1103.
- [2] Zhang, X., Zhang, L., Fung, K. Y., Bakshi, B. R., Ng, K. M. (2020). Sustainable product design: A life-cycle approach. *Chemical Engineering Science*, 217, 115508.
- [3] Peng, Z., He, L., Xie, Y., Song, W., Liu, J., Ming, X., Goh, M. (2022). A Pythagorean fuzzy ANP-QFD-Grey relational analysis approach to prioritize design requirements of sustainable supply chain. *Journal of Intelligent & Fuzzy Systems*, 42(4), 3893-3907.
- [4] Fung, Y. N., Chan, H. L., Choi, T. M., Liu, R. (2021). Sustainable product development processes in fashion: Supply chains structures and classifications. *International Journal of Production Economics*, 231, 107911.
- [5] Saraf, C., Agrawal, S., Barodiya, D., Shrivastava, P., Verma, T.N. (2022). AHP-based Identification of Tools for Sustainable Product Development. In: Verma, P., Samuel, O.D., Verma, T.N., Dwivedi, G. (eds) *Advancement in Materials, Manufacturing and Energy Engineering, Vol. II. Lecture Notes in Mechanical Engineering*, pp. 543-552, Springer, Singapore.
- [6] WCED, R. (1987) Report of the World Commission on Environment and Development: *Our Common future*. <http://www.ask-force.org/web/Sustainability/Brundtland-Our-Common-Future-1987-2008.pdf>, Accessed april, 22, 2021
- [7] Ceschin, F., Gaziulusoy, I. (2016). *Design for sustainability: An evolutionary review*. Proceedings of Design Research Society Conference (DRS'2016), Brighton, UK, June, 27- 30.
- [8] Ahmad, S., Wong, K.Y., Tseng, M.L., Wong, W.P. (2018). Sustainable product design and development: A review of tools, applications and research prospects. *Resources, Conservation and Recycling*, 132, 49-61
- [9] Neelam, C., Tanvir, S., Amit, K. (2014). Sustainable product design: A review; *International Journal of Electronics & Communication Technology*, 5(Spl-1), 49-52, <http://www.iject.org/vol5/spl1/neelam.pdf>
- [10] Purvis, B., Mao, Y., Robinson, D. (2019). Three pillars of sustainability: in search of conceptual origins. *Sustainability science*, 14(3), 681-695.
- [11] Hosseinpour, A., Peng, Q., Gu, P. (2015). A benchmark-based method for sustainable product design. *Benchmarking: An International Journal*, 22(4), 643-664
- [12] Vallet, F., Eynard, B., Millet, D., Mahut, S.G., Tyl, B., Bertoluci, G. (2013). Using eco-design tools: An overview of experts' practices. *Design Studies*, 34(3), 345-377.
- [13] Azapagic, A., Millington, A., Collett, A. (2006). A Methodology for Integrating Sustainability Considerations into Process Design. *Chemical Engineering Research and Design*, 84(6), 439-452
- [14] Thomas, A. (2009). *Design and sustainable development: what is the contribution that design can make? A case study of the Welsh Woollen Industry*. In Undisciplined! Proceeding of Design Research Society Conference, Sheffield Hallam University, Sheffield, UK, July, 16-19.
- [15] Kyratsis, P., Efkolidis, N., Tsagaris, A. (2012). CAD based material selection for sustainable design. *International Journal of Engineering Research and Development*, 1(8), 54-59

- [16] Renzi, C., Leali, F., Di Angelo, L. (2017). A review on decision-making methods in engineering design for the automotive industry. *Journal of Engineering Design*, 28(2), 118-143.
- [17] Schade, J., Olofsson, T., Schreyer, M. (2011). Decision-making in a model-based design process. *Construction management and Economics*, 29(4), 371-382.
- [18] Moghtadernejad, S., Chouinard, L. E., Mirza, M. S. (2018). Multi-criteria decision-making methods for preliminary design of sustainable facades. *Journal of Building Engineering*, 19, 181-190
- [19] Anojkumar, L., Ilangkumaran, M., Hassan, S.M. (2016). An integrated hybrid multi-criteria decision making technique for material selection in the sugar industry. *International Journal of Multi-criteria Decision Making*, 6(3), 247-268
- [20] Jahan, A., Edwards, K.L., Bahraminasab, M. (2016). *Multi-criteria decision analysis for supporting the selection of engineering materials in product design*. Butterworth-Heinemann, 2nd Edition.
- [21] Loganathan, A., Mani, I. (2018). A fuzzy based hybrid multi criteria decision making methodology for phase change material selection in electronics cooling system. *Ain Shams Engineering Journal*, 9(4), 2943-2950.
- [22] Steenis, N.D., Van Der Lans, I.A., Van Herpen, E., Van Trijp, H.C. (2018). Effects of sustainable design strategies on consumer preferences for redesigned packaging. *Journal of Cleaner Production*, 205, 854-865.
- [23] Buchert, T., Neugebauer, S., Schenker, S., Lindow, K., Stark, R. (2015). Multi-criteria decision making as a tool for sustainable product development–Benefits and obstacles. *Procedia CIRP*, 26, 70-75.
- [24] Mosavi, A. (2013). A multi-criteria decision making environment for engineering design and production decision-making. *International Journal of Computer Applications*, 69(1), 26-38.
- [25] Guini, F., El Barkany, A., Jabri, A., Irhirane, E.H. (2018). An Approach for the Evaluation of a Product's Process Planning during the Design Phase through a Group Multi-Criteria Decision-Making. *International Journal of Engineering Research in Africa*, 38, 154-162. Trans Tech Publications Ltd.
- [26] Vinodh, S., Rathod, G. (2010). Integration of ECQFD and LCA for sustainable product design. *Journal of Cleaner Production*, 18(8), 833-842.
- [27] Rezaei, J., Papakonstantinou, A., Tavasszy, L., Pesch, U., Kana, A. (2019). Sustainable product-package design in a food supply chain: A multi-criteria life cycle approach. *Packaging Technology and Science*, 32(2), 85-101.
- [28] Sansa, M., Badreddine, A., Romdhane, T.B. (2019). A new approach for sustainable design scenarios selection: A case study in a Tunisian company. *Journal of Cleaner Production*, 232, 587-607.
- [29] Bouyarmane, H., Sallaou, M. (2019). *Environmental assessment in the early stages of product design*. In 5th International Conference on Optimization and Applications. ENSA Kenitra, Maroc, April, 25-26.
- [30] Karatas, M. (2017). Multiattribute decision making using multiperiod probabilistic weighted fuzzy axiomatic design. *Systems Engineering*, 20(4), 318-334.
- [31] Singh, P.K., Sarkar, P. (2020). A framework based on fuzzy Delphi and DEMATEL for sustainable product development: A case of Indian automotive industry. *Journal of Cleaner Production*, 246, 118991
- [32] Chandrakumar, C., Kulatunga, A.K., Mathavan, S. (2017). A multi-criteria decision-making model to evaluate sustainable product designs based on the principles of Design for Sustainability and Fuzzy Analytic Hierarchy Process. In Giampaolo Campana, G., Howlett R. J., Setchi R. and Cimatti B., (Eds), *Proceeding of the*

- International Conference on Sustainable Design and Manufacturing* (pp. 347-354). Springer, Cham
- [33] Badurdeen, F., Aydin, R., Brown, A. (2018). A multiple lifecycle-based approach to sustainable product configuration design. *Journal of cleaner production*, 200, 756-769.
- [34] Mohebbi, A., Achiche, S., Baron, L. (2018). Multi-criteria fuzzy decision support for conceptual evaluation in design of mechatronic systems: a quadrotor design case study. *Research in Engineering Design*, 29(3), 329-349
- [35] Rivera, X.C.S., Leadley, C., Potter, L., Azapagic, A. (2019). Aiding the Design of Innovative and Sustainable Food Packaging: Integrating Techno-Environmental and Circular Economy Criteria. *Energy Procedia*, 161, 190-197
- [36] Chunhua, F., Shi, H., Guozhen, B. (2020). A group decision making method for sustainable design using intuitionistic fuzzy preference relations in the conceptual design stage. *Journal of Cleaner Production*, 243, 118640.
- [37] Polat, G., Bingol, B.N., Var, O. (2017). An Integrated Multi-criteria-decision-making Tool for Mechanical Designer Selection. *Procedia engineering*, 196, 278-285
- [38] Mohammed, A., Harris, I., Soroka, A., Nujoom, R. (2019). A hybrid MCDM-fuzzy multi-objective programming approach for a G-Resilient supply chain network design. *Computers & Industrial Engineering*, 127, 297-312
- [39] Bereketli, I., Genevois, M.E. (2013). An integrated QFDE approach for identifying improvement strategies in sustainable product development. *Journal of cleaner production*, 54, 188-198
- [40] Hashim, A.M., Dawal, S.Z.M. (2012). Kano model and QFD integration approach for ergonomic design improvement. *Procedia-Social and Behavioral Sciences*, 57, 22-32.
- [41] Younesi, M., Roghanian, E. (2015). A framework for sustainable product design: a hybrid fuzzy approach based on quality function deployment for environment. *Journal of Cleaner Production*, 108, 385-394
- [42] Huang, Y.C., Tu, J.C., Hung, S.J. (2016). Developing a Decision Model of Sustainable Product Design and Development from Product Servicizing in Taiwan. *EURASIA Journal of Mathematics, Science and Technology Education*, 12(5), 1285-1302.
- [43] Chowdhury, M. M. H., Quaddus, M. A. (2016). A multi-phased QFD based optimization approach to sustainable service design. *International Journal of Production Economics*, 171, 165-178
- [44] He, B., Gu, Z. (2016). Sustainable design synthesis for product environmental footprints. *Design Studies*, 45, 159-186
- [45] Schöggel, J.P., Baumgartner, R.J., Hofer, D. (2017). Improving sustainability performance in early phases of product design: A checklist for sustainable product development tested in the automotive industry. *Journal of Cleaner Production*, 140, 1602-1617
- [46] Babbar, C., Amin, S. H. (2018). A multi-objective mathematical model integrating environmental concerns for supplier selection and order allocation based on fuzzy QFD in beverages industry. *Expert Systems with Applications*, 92, 27-38
- [47] Woodhouse, A., Davis, J., Pénicaud, C., Östergren, K. (2018). Sustainability checklist in support of the design of food processing. *Sustainable Production and Consumption*, 16, 110-120. <https://doi.org/10.1016/j.spc.2018.06.008>
- [48] Allaoui, H., Guo, Y., Choudhary, A., Bloemhof, J. (2018). Sustainable agro-food supply chain design using two-stage hybrid multi-objective decision-making approach. *Computers & Operations Research*, 89, 369-384
- [49] He, B., Niu, Y., Hou, S., Li, F. (2018). Sustainable design from functional domain to

- physical domain. *Journal of cleaner production*, 197, 1296-1306
- [50] Tao, J., Yu, S. (2018). Product life cycle design for sustainable value creation: methods of sustainable product development in the context of high value engineering. *Procedia CIRP*, 69, 25-30.